



THE BEST IN THE BUSINESS FOR AFTERMARKET PARTS AND REBUILT SPRINKLERS



WHAT WE DO BEST

FOR OUR CUSTOMERS, WE:

OFFER cost-saving **"Aftermarket"** options for your irrigation budget: cases, solenoids, valves and more.

REPAIR RAIN BIRD[®] and TORO[®] sprinklers and controllers— send yours to us for repair.

SELL fully-reconditioned **RAIN BIRD**[®] and **TORO**[®] sprinklers. (*1 year warranty*)

STOCK a huge inventory of current and hard-to-find parts.

BUY your old irrigation system or sprinklers and pay for the freight to ship to us.

PROVIDE a fully-funded **UPS**[®] label to send your sprinklers and parts in for repair.

We have over **44** years of experience repairing sprinkler parts and components.

> Time to Reorder Call (800) 492-8378



REBUILT EAGLE[™] ROTORS & REPAIR

REBUILT EAGLE[™] ROTORS, CASE ASSEMBLIES & COMPLETE SPRINKLERS

REPAI

ROTORS (INTERNAL ONLY)

Part Number	Description	Price
RB 211580	500 Full Circle	\$85.00
RB 211581	550 Part Circle	\$93.00
RB 211435	700 Full Circle	\$85.00
RB 211544	750 Part Circle	\$93.00
RB 214751	751 Adjustable	\$93.00
RB 210786	900 Full Circle	\$98.00
RB 211442	950 Part Circle	\$115.00



COMPLETE SPRINKLERS (SWING JOINT READY)

Part Number	Description	Price	
Eagle 700	Full Circle 1¼" Inlet	\$220.00	
Eagle 750/751	Part Circle/Adj 1¼" Inlet	\$240.00	
Eagle 900	Full Circle 1½" Inlet	\$260.00	
Eagle 950	Part Circle 1½" Inlet	\$271.00	

>>>(INCLUDES A NEW STI SOLENOID) < < <

BLOCK ("B") STYLE 1" INLET

Part Number	Description	Price
RB 211489-03	Case Only for 500/751	\$68.70
RB G03500	700 Full Circle	\$108.00
RB G06500	750/751 Part Circle/Adj	\$118.00
RB 215001	SAM/Screen Kit	\$30.10 📷

<u>R</u>EPAIR <u>R</u>EBUILD <u>R</u>ECONDITION



CASE ASSEMBLIES (CASE, VALVE & SELECTOR)

Part Number	Description	Price
RB 212466-02C	700 1¼" Inlet	\$185.00
RB 212475-03C	900 1½" Inlet	\$190.00

>>> (INCLUDES A NEW STI SOLENOID) < < <






SAM SCREEN 215001




POPULAR EAGLE[™] PARTS

4

EAGLE[™] 700/900 SERIES SPRINKLER



WE SHIP NATIONWIDE. DON'T FEEL LOCKED INTO YOUR LOCAL DISTRIBUTOR.




WE ALSO STOCK A COMPLETE LINE OF RAIN BIRD® PARTS

All original equipment manufacturers, names and products presented in this catalog are used for identification purposes, and are no way implying that any of these products are original equipment parts. Rain Bird Corporation[®] is a registered trademark of the Rain Bird Corporation.

AFTERMARKET RAIN BIRD® PRODUCTS

BRAND NEW RAIN BIRD[®] EAGLE[™] "AFTERMARKET" PRODUCTS Compare Our Pricing — Your Savings Are Substantial!



THESE PRODUCTS ARE PROVEN AND COST SUBSTANTIALLY LESS!



**** SPORTSTURF IRRIGATION EXCLUSIVES ****

BRASS IMPACT SPRINKLERS & PARTS

WE STILL HAVE INVENTORY AND PARTS FOR THESE GOLDEN OLDIES!





 Purchase Rebuilt

 51/47 Internal
 \$65.00/\$75.00

 51/47 Complete
 \$105.00/\$120.00

 Purchase Rebuilt

 51/47 Internal
 \$65.00/\$75.00

 51/47 Complete
 \$90.00/\$98.00




Purchase Rebuilt 51/47 Internal \$65.00/\$75.00

91/95

 Purchase Rebuilt

 91/95 Internal
 \$90.00/\$98.00

 91/95 Complete
 \$180.00/\$195.00



DON'T SEE IT ON THIS PAGE? CALL FOR AVAILABILITY OF OTHER BRASS SPRINKLERS & PARTS

TOOLS



PROUDLY SERVICING GOLF COURSES FOR 44 YEARS 7

BRASS ELECTRIC, GATE, ANGLE, GLOBE, PLASTIC VALVES & PARTS

BRASS VALVES & PARTS



RB 236239

E-Z Bleed Solenoid

RB 208554 Elbow Filter Assembly (Bag of 5)



RB 209814-03 1 1/2" EFB-CP Bonnet Assy Less Solenoid RB 209814-04 2" EFB-CP Bonnet Assy Less Solenoid



Brass Valves - Gate,

Angle and Globe

RB 209814.04-99 2" EFB-CP Bonnet Assy w/New Solenoid



RB 200EFB-CP Electric Brass Valve

Send Your Electric Brass Valves to SportsTurf Irrigation for Repair

PLASTIC VALVE OPTIONS

2" & 1¹/₂" ELECTRIC BRASS VALVE REPLACEMENTS FROM K-RAIN®



2" PRO SERIES 150



1¹/₂" PRO SERIES 150

Electric Brass Valves are VERY expensive. K-Rain® plastic valves offer all the features and even more benefits than the brass valve equivalent. These are a HUGE cost saver and have a proven track record.

2" & 1½" PEB OR PESB FROM RAIN BIRD®





2" PEB/PESB

1 ½" PEB/PESB

The PESB Series uses patented scrubber technology for reliable performance in dirty water applications.

CONTROLLER REPAIR & SPARE PARTS

PURCHASE SPARE PARTS OR SEND IN FOR REPAIR



RB 635711-01 PAR+ ES Timing Assembly



RB 633224-01 MSC+ Timing Assembly



RB 633224-02 PAR+ Timing Assembly



RB 633224-03 PAR 24 Timing Assembly



RB 633224-04 PAR 16 Timing Assembly



RB HAO2OO OSM



RB HA0100 ROM-8 * Qty Discount Available



RB H44500 2-Wire Communication Module



RB 633226-02 PAR+ ES and PAR+ Power Interface Module



89-7852 NW8000 Modem Board



102-3497 Network VP Faceplate



91-1952 NW8000 Faceplate

Rain Bird[®] and Toro[®] Controllers / Faceplates can be repaired!^{*}

Contact us for a Shipping Label!

* ALL CONTROLLERS SUBJECT TO AVAILABILITY

TURF PRODUCTS



Rain Bird[®] Quick Couplers Valves, Swivels & Keys 3/4" - 1½"

RAIN BIRD[®] QUICK COUPLER REFERENCE

Order	Top of QC	Bottom of QC
#33	1/2"	3/4"
#44	3/4"	1"
#5	1"	1"
#7	1½"	1½"

QUICK COUPLER KEY REFERENCE

Order	Top of Key	Bottom of Key
33K	3/4"	1/2"
44K	1"	3/4"
55K	1"	1"
7K	1½"	1½"



VersaLid[™] Universal Replacement Lid 6", 7" & 10" Round Valve Box

4 Easy Steps to Build Your Specific Westlake Swing Joint

STEP 1: SPECIFY A BODY DIAMETER BY NUMBER			
First Digit	Diameter Size		
1	1"		
2	1¼"		
3	1½"		

STEP 2: SPECIFY AN INLET BY NUMBER (PIPE IN GROUND)


Second Digit	Inlet Style
1	Socket

- 2 Spigot (short)
- 3 Male Thread (MIPT)
- 4 Male ACME
- 7 Long Spigot (4" Long)

STEP 3: SPECIFY OUTLET BY NUMBER (SPRINKLER TO THREAD ONTO)

Third Digit **Outlet Style** Socket 1 2 MIPT (available in 1", 11/4" and 11/2" diameter) 3 Enlarging MIPT (available in 1", 1¼" and 1½" diameter) 4 **MIPT Special** (available in 1" and 1¼" diameter) 8 Increasing ACME (available in 11/2" diameter) 0 ACME (available in 1", 1¼" and 1½" diameter) Α ACME Special (available in 11/4" diameter)

STEP 4: SPECIFY LAY LENGTH Last Three Digits Lay Length -208 8" -212 12" -218 18" Standard Sizes -218 18"



Also see LASCOFITTINGS.COM for online configurator

3M DBR/Y Splice Kit

Box of 100 or Purchase Individually



LANDSCAPE SOLUTIONS & ACCESSORIES

COMPARE K-RAIN® TO OTHER PGP STYLE ROTORS

High Performance, Low Maintenance



This patented "Easy Arc Setting" just made your irrigator's life a whole lot easier!!!

7 Year Warranty

Available on ALL models of K-Rain $\ensuremath{^{\ensuremath{\mathbb{R}}}}$ rotors.




K-RAIN ®	MINIPRO 6" 20/Case	SUPERPRO 20/Case	RPS75i 20/Case	PROSPORT 12/Case
INLET	¹ ⁄2"	³ ⁄4"	3⁄4"	1"
COVERAGE	40°- 360°	40°- 360°	40°- 360°	40°- 360°
FLOW RANGE (GPM)	.8 - 3.8	.8 - 11.1	.9 - 9.7	5.1 - 32.5
PRESSURE (PSI)	20 - 70	20 - 70	20 - 70	40 - 90
RADIUS	18' - 33'	26' - 46'	26' - 48'	43' - 77'
RECLAIMED WATER	YES	YES	YES	YES
WHAT YOU SHOULD KNOW	Perfect for landscape areas and for replacing fixed sprays	Best ¾" Option Reduce distance & flow rate proportionately	Direct replacement for Hunter® PGP® & PGP ® Ultra®	Great Block Type System replacement

* CLEAN UP AROUND * YOUR HEADS



TAS Trimmer Sprinkler Head Trimmer 3³/₄" - 10"



Works with both 1" and 3/4" hoses using the included adapters and full circle and part circle sprinklers. (sprinkler sold seperately)




Marking Flags (Bundle of 100)


STOCKED K-RAIN PRODUCTS SHIP THE SAME DAY YOU ORDER THEM 15


REPAIR COUPLINGS & ACCESSORIES

KwikRepair WE LOVE THIS PRODUCT & YOU WILL TOO!




Use fitting as a template to ensure exact fit.






Slide one coupler back at a time. Prime and glue both fitting and body pipe.



Twist coupler back onto glued pipe until arrows on fitting are fully exposed. Hold until set.

A Permanent Solvent Weld Repair Fitting



TurboTrim[™] Head Trimmer

Comfortable Rubber Handle Grips

Super Heavy Duty Steel Construction & Powder Coated Finish Forward and Reverse Drive Ratchet Mechanism

7", 8" or 11"

*T Handle and Blades Sold Separately



Blade Depth Stopper Keeps wires from getting cut! **PowerTrim[™] Pro Series**

Designed to Fit Most Major Straight Shaft Power Trimmer Bands 7", 8" or 11"



A Blade Adapter Kit is needed to mount any blade

HOSES & SPRAY NOZZLES

ULTRAMAX[™] HOSES



UltraMax[™] Featherweight

- **1200 psi Burst / 300 psi Operating** 3/4" - 9 lbs, 1" = 15 lbs (per 100 ft)
- -74 9 IDS, I IS IDS (per IOU ft)
- Extremely lightweight with high pressure rating
 Smooth outer fabric slides over turf without scuffing



UltraMax[™] Blue

1200 psi Burst / 300 psi Operating

3/4" = 27 lbs, 1" = 43 lbs (per 100 ft)

- Best combination of weight, durability, flexibility, pressure strength & flow rate
- Soft & flexible won't scuff greens



UltraMax[™] Red

800 psi Burst / 200 psi Operating 3/4" = 38 lbs, 1" = 59 lbs (per 100 ft)

- Ultimate choice for long life under heavy use
- Kink, tangle & weather resistant



UltraMax[™] Green

800 psi Burst / 200 psi Operating
3/4" = 28 lbs, 1" = 38 lbs (per 100 ft)
Lightweight with a high burst pressure rating
Smooth outer texture won't scuff greens



UltraMax[™] Clear

600 psi Burst / 150 psi Operating 3/4" = 20 lbs, 1" = 32 lbs (per 100 ft) • Lightweight & economical

Ideal for light to medium commercial duty

Magnum[™]Stinger

The All PRESSURE NOZZLE

The Magnum[™] Stinger nozzle is an incredibly smooth operating nozzle, making it ideal for low pressure or low flow rate situations.



ULTRAMAX[™] NOZZLES

The NEW ULTRAMAX Multi-BLAST nozzle 4 nozzles in 1





Turbo Shift (12-43 GPM) Premium Plus Pro Series 3/4" & 1"



Turbo Shift (12-43 GPM) Premium Pro Series 3/4" & 1"



Full Throttle (15-40 GPM) Premium Plus Pro Series 3/4" & 1"



Full Throttle (15-40 GPM) Premium Pro Series 3/4" & 1"





ACCESSORIES







Tournament Ready[®] Plus with Actosol[®] Pellets

HOSE CADDIE[™] Hose Reel

No more lifting, twisting, or winding up hoses



 Includes a 10 ft UltraMax Blue Leader Hose

PowerFL W Series

NEW Optional

Hose Guide

Twist-Ease[™] Kink Eliminator - Never Fight with a Tangled Hose Again!




FEATURES:

- High Quality, High Flow, Brass Swivel that fits between your hose and nozzle
- Simply pull the hose by the nozzle and all twists, kinks and tangles will spin out with the swivel making untangling your hose a breeze!
- Available in 1" NPSH or ¾" GHT



DRAINBLASTER[™] Nozzle

High Pressure Drain Cleaning Nozzle 3/4" & 1"





This unique hose-end, high pressure nozzle guides itself in cleaning out drains, to remove debris with ease. Special feature includes a wire attachment connector for using wire locator to determine drain route.

POWERBLAST[™] Super Sweeper

Solid Brass Sweeper Nozzle

FEATURES:


- Solid Machined Brass Construction
- Constant Flow Smooth Operation
- Simple Reliable Long Life



HIGH FLOW VALVES AND ADAPTERS



GULP[™] PRO Pumps Water Removal Pumps 72″ or 36″ discharge hose



POWERGULP[™] Pump For Professional Water Removal

Pump Specifications:

- Flow Rate 11 GPM
- Length 48"
- Weight 4 lbs (without battery)
- Battery Run Time Up to 60 Minutes w/ 4 Amp Hr. Battery
- Head Height 15 ft
- Not For Use on Flammable Liquids
- 18 Volt



MudGuard

POWER GULP

SPORTSTURF IRRIGATION YOUR SOURCE FOR SPRINKLER PRODUCTS GRAB A BOX AND GET BUSY!





SUPERINTENDENTS AND IRRIGATORS TRUST SPORTSTURF IRRIGATION FOR REBUILT, NEW AND AFTERMARKET PRODUCTS

Scan and Sign Up to Receive Special Offers & Discounts!



SportSTurf IRRIGATION (800)492-8378 www.sportsturfirrigation.com

SportsTurf Irrigation is an independent service and manufacturing business and is not affiliated with, or authorized as a representative, service provider, or contractor of services by The Toro Company or Rain Bird Corporation. All references to OEM brands, trademarks, model numbers, and/or the display of certain identifying images herein are done solely for the purpose of identification of independent services provided by SportsTurf Irrigation. All trademarks contained herein belong to their respective manufacturers. Pricing terms and conditions are subject to change without notification. Visit our website at www.sportsturfirrigation.com for additional terms and conditions. This catalog and all its content are protected by intellectual property or proprietary rights held solely by Water Utilities Services, Inc. None of the images or copy may be copied or reproduced for commercial use without written approval from Water Utilities Services, Inc.